

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Sono 1100
Product Code: Not available

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Ultrasonic couplant.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Magnaflux

155 Harlem Avenue, Glenview, Illinois

60025

Telephone Number: 847-657-5300

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone Number: CHEMTREC 800-424-9300

Date of Preparation: November 13, 2013 Version #: 1.0

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Carcinogenicity 1A

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:

Signal Word: Danger.

Hazard Statement: May cause cancer.

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

gioves/protective ciotiling/eye protection/race protection.

Response: If exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with all local,

regional, national and international regulations.



2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

95 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class D2A - Carcinogenicity

WHMIS Hazard Symbols:



WHMIS Signal Word: CAUTION

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	UN#	H / F/ R / *	CAS No	Wt. %
Siloxanes and Silicones, di-methyl,				
methylphenyl	Not available.	Not available.	63148-52-7	40 - 70
Bentonite	Not available.	Not available.	1302-78-9	1 - 5
Silica, crystalline, quartz	Not available.	Not available.	14808-60-7	0.1 - 1
Toluene	UN1294	2/3/0	108-88-3	< 0.1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn. If

irritation persists, get medical attention.

^{*} Per NOM-018-STPS-2000



Skin: In case of contact, immediately flush skin with plenty of water. Call a

physician if irritation develops and persists.

Inhalation: Remove to fresh air. If symptoms persist, obtain medical attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production.

Skin: May cause skin irritation. Symptoms may include redness, drying,

itching and cracking of the skin.

Inhalation: Not normally a hazard. May cause respiratory tract irritation.

Ingestion: Not normally a hazard. May cause stomach distress, nausea or

vomiting.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians: Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

5.1 FLAMMABILITY

Flammability: This product is not flammable by WHMIS/OSHA/NOM-018-

STPS-2000 criteria.

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: In case of large fire: dry chemical, foam, water spray. In case

of small fire: carbon dioxide (CO2), dry chemical, water spray.

Unsuitable Extinguishing Media: None known.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon. Traces of

benzene (carcinogen) may form if heated in air above 149°C (300°F).

Explosion Data:

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Use appropriate Personal

Protective Equipment (PPE).

Methods for Cleaning-Up: Scoop up material and place in a disposal container. Spills of this

material are a slipping hazard. Thoroughly wash the area with water

after a spill or leak.

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do

not swallow. Handle and open container with care. When using do

not eat, drink or smoke. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Store at room temperature. Store

locked up. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient	OSHA-PEL ACGIH-TLV		
Siloxanes and Silicones, di-			
methyl, methylphenyl	Not available.	Not available.	
Bentonite	Not available.	Not available.	
((10 mg/m ³)/(%SiO ₂ +2) TWA (resp))			
	$((10 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ TWA (resp)})$ $((30 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ TWA (total)})$		
Silica, crystalline, quartz	$((250)/(\%SiO_2+5) \text{ mppcf TWA (resp)})$	0.025 mg/m ³ .	
Toluene	200 ppm	20 ppm	

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits.



8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear suitable gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: Not normally needed. In case of insufficient ventilation, wear suitable

respiratory equipment.

General Health and Safety

Measures:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Wash

contaminated clothing before reusing.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Paste-like compound.

Color: Beige.

Odor: Odourless.

Odor Threshold: Not available.

Physical State: Liquid.

pH: Not available.

Melting Point/Freezing Point: Not available.

Initial Boiling Point and Boiling Range: Not available.

Flash Point: 235 °C (455 °F)

Evaporation Rate: Not available.

Flammability: Not flammable.

Lower Flammability/Explosive Limit: Not available.

Lower Flammability/Explosive Limit:Not available.Upper Flammability/Explosive Limit:Not available.Vapor Pressure:Not available.Vapor Density:Not available.

Relative Density/Specific Gravity: <1 g/cc
Solubility: Insoluble.

Partition coefficient: n-octanol/water: Not available.

Auto-ignition Temperature: $461 - 464 \, ^{\circ}\text{C} \, (861 - 867 \, ^{\circ}\text{F})$

Decomposition Temperature:Not available. **Viscosity:**Not available.



Oxidizing Properties: Not available.

Explosive Properties: Not available.

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, sulfur dioxide, carbonyl sulfide. Traces of benzene (carcinogen) may form if heated in air above 149°C (300°F).

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production.

Skin: May cause skin irritation. Symptoms may include redness, drying, itching

and cracking of the skin.

Ingestion: Not normally a hazard. May cause stomach distress, nausea or vomiting.

Inhalation: Not normally a hazard. May cause respiratory tract irritation.

Acute Toxicity:

Ingredient	IDLH	LC50	LD50
Siloxanes and Silicones,			
di-methyl, methylphenyl	Not available.	Not available.	Not available.
Bentonite	Not available.	Not available.	Oral >5000 mg/kg, rat
Bentonite	Ca [25 mg/m ³	Not available.	Oral >5000 Hig/kg, rat
	(cristobalite, tridymite); 50 mg/m³ (quartz,		
0:1:	• • • • • • • • • • • • • • • • • • • •		0 1500 #
Silica, crystalline, quartz	tripoli)]	Not available.	Oral 500 mg/kg, rat
		Inhalation 12.8 mg/L	
Toluene	500 ppm	4 h, rat	Oral >5000 mg/kg, rat



Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation) LD50 (oral) L		LD50 (dermal)	
Not available.	> 2000 mg/kg, rat	Not available.	

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Siloxanes and Silicones, di-methyl, methylphenyl	Not listed.
Bentonite	Not listed.
Silica, crystalline, quartz	G-A2, I-1, N-1, O, CP65
Toluene	G-A4, I-3, CP65

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:
Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-Single Exposure: Based on available data, the classification criteria are not met.

Chronic Health Effects:

Carcinogenicity: May cause cancer.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Developmental: Based on available data, the classification criteria are not met.

Teratogenicity: Based on available data, the classification criteria are not met.

Embryotoxicity: Based on available data, the classification criteria are not met.

Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.

Aspiration Hazard: Based on available data, the classification criteria are not met.

Toxicologically Synergistic

Materials:Not available.Other Information:Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL



Bioaccumulation: Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT TDG NOM-004-SCT2-1994

Not regulated. Not regulated. Not regulated.

14.2 UN PROPER SHIPPING NAME

DOT TDG NOM-004-SCT2-1994

Not applicable. Not applicable. Not applicable.

14.3 TRANSPORT HAZARD CLASS (ES)

DOT TDG NOM-004-SCT2-1994

Not applicable. Not applicable. Not applicable.

14.4 PACKING GROUP

DOT TDG NOM-004-SCT2-1994

Not applicable. Not applicable. Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the



Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Mexico: MSDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Siloxanes and Silicones, di- methyl, methylphenyl	Not listed.	Not listed.	Not listed.	Not listed.
Bentonite	Not listed.	Not listed.	Not listed.	Not listed.
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.
Toluene	Not listed.	Not listed.	1,000.	313.

State Regulations

California Proposition 65:

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

Ingredient	Canada DSL/NDSL	USA TSCA
Siloxanes and Silicones, di-methyl, methylphenyl	DSL	Yes.
Bentonite	DSL	Yes.
Silica, crystalline, quartz	DSL	Yes.
Toluene	DSL	Yes.

NFPA-National Fire Protection Association:		
Health: 1		
Fire:	1	
Reactivity:	0	

HMIS-Hazardous Materials Identification System:		
Health: 1*		
Fire:	1	
Physical Hazard:	0	

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.



IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: November 13, 2013

Expiry Date: November 13, 2016

Version: 1.0

Revision Date: November 13, 2013

Conforms to OSHA HazCom 2012, CPR & NOM-018-STPS-2000 Standards

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: Magnaflux

End of Safety Data Sheet