

### **Section 1: IDENTIFICATION**

### 1.1 PRODUCT IDENTIFIER

Product Name: SKC-S Aerosol
Product Code: Not available.

### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Use:** Non-Destructive Testing.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Magnaflux

155 Harlem Avenue, Glenview, Illinois

60025

**Telephone Number:** 847-657-5300

### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone Number:** CHEMTREC 800-424-9300

Date of Preparation: November 25, 2013 Version #:1.1

## Section 2: HAZARD(S) IDENTIFICATION

### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Flammable Aerosol 1 Gases Under Pressure Compressed Gas Aspiration hazard 1

### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

### **Hazard Pictogram:**







Signal Word: Danger

Hazard Statement: Extremely flammable aerosol. Contains gas under pressure; may

explode if heated. May be fatal if swallowed and enters airways.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. -No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Response: If swallowed: Immediately call a poison center/doctor. Do NOT

induce vomiting.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

Page 1 of 11



50 °C/122 °F. Store in a well-ventilated place. Store locked up.

**Disposal:** Dispose of contents and container in accordance with all local,

regional, national and international regulations.

### 2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

2 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

### **Mexico Classification:**



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### WHMIS Classification(s):

Class A - Compressed Gas Class B5 - Flammable Aerosol

Class D2A - Teratogenicity and Embryotoxicity

Class D2B - Skin/Eye Irritant

## **WHMIS Hazard Symbols:**







WHMIS Signal Word:

**DANGER** 

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 MIXTURES

Ingredient	UN#	H/F/R/*	CAS No	Wt. %
Naphtha (petroleum), hydrotreated light	Not available	Not available	64742-49-0	60 - 100
Carbon dioxide	UN1013	1/0/0	124-38-9	1 - 5
Xylene	UN1307	2/3/0	1330-20-7	0.5 - 1.5
Ethylbenzene	UN1175	2/3/0	100-41-4	< 0.1
Toluene	UN1294	2/3/0	108-88-3	< 0.1
Benzene	UN1114	2/3/0	71-43-2	< 0.1
Naphthalene	UN1334/UN2304	2/2/0	91-20-3	< 0.1



The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

\* Per NOM-018-STPS-2000

### **Section 4: FIRST- AID MEASURES**

### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes, including under lids. If easy to do, remove contact

lenses, if worn. Get medical attention immediately.

**Skin:** In case of contact, immediately flush skin with plenty of water. Do

not use ointments. Call a physician if irritation develops and persists.

**Inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention if you feel unwell.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

**Eye:** May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

**Skin:** May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

**Inhalation:** May cause respiratory tract irritation. May cause drowsiness or

dizziness.

**Ingestion:** May be fatal if swallowed and enters airways. May cause stomach

distress, nausea or vomiting. This product may be aspirated into the

lungs and cause chemical pneumonitis.

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

**Note to Physicians:** Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

### Section 5: FIRE-FIGHTING MEASURES

## **5.1 FLAMMABILITY**

Flammability: Flammable by WHMIS/OSHA/NOM-018-STPS-2000 criteria.

**5.2 EXTINGUISHING MEDIA** 

Suitable Extinguishing Media: Foam, carbon dioxide.

Unsuitable Extinguishing Media: Water.



### 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

**Products of Combustion:** May include, and are not limited to: oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available.
Sensitivity to Static Discharge: Not available.

#### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool. Avoid water in straight hose stream; will scatter and spread fire. Containers may explode when heated. Spills of this material are a slipping hazard.

### Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

## 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Cleaning-Up: Scoop up material and place in a disposal container. Provide

ventilation.

### Section 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Keep away from sources of ignition. - No smoking. Do not spray on

an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Container may explode if heated. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Use non-

sparking tools. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Keep out of the reach of children. Store locked up. Protect from

sunlight. Do not store at temperatures above 50 °C / 122 °F. Store in

a well-ventilated place. (See section 10)

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **8.1 CONTROL PARAMETERS**



## **Exposure Guidelines**

Occupational Exposure Limits			
Ingredient	OSHA-PEL	ACGIH-TLV	
Naphtha (petroleum), hydrotreated light	Not available.	Not available.	
Carbon dioxide	5000 ppm	5000 ppm	
Xylene	100 ppm	100 ppm	
Ethylbenzene	100 ppm	20 ppm	
Toluene	200 ppm	20 ppm	
Benzene	10 ppm	0.5 ppm	
Naphthalene	10 ppm	10 ppm	

### **8.2 EXPOSURE CONTROLS**

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits.

## **8.3 INDIVIDUAL PROTECTIVE MEASURES**

**Personal Protective Equipment:** 

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

**Skin Protection:** 

Hand Protection: Chemical-resistant gloves.

**Body Protection:** Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

**General Health and Safety** 

Measures:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

according to established industrial rryglerie and safety pra

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear.

Color: Colorless.

Odor: Naphtha odor.

Odor Threshold: Not available.

Physical State: Gas/pressurized liquid.

pH: Neutral.

Melting Point/Freezing Point: Not available.

Initial Boiling Point and Boiling Range:  $\sim 118 \,^{\circ}\text{C} \ (\sim 245 \,^{\circ}\text{F})$ Flash Point:  $\sim 14 \,^{\circ}\text{C} \ (\sim 57 \,^{\circ}\text{F})$ 



**Evaporation Rate:** Fast.

Flammability: Flammable.

Lower Flammability/Explosive Limit: 1% Upper Flammability/Explosive Limit: 6%

**Vapor Pressure:** 105 psi @ 24°C (75 °F)

Vapor Density: 4.1
Relative Density/Specific Gravity: 0.76

Solubility: Insoluble.

Partition coefficient: n-octanol/water:
Auto-ignition Temperature:

Not available.

Not available.

Not available.

Viscosity: < 1 cSt

Oxidizing Properties: Not available.

Explosive Properties: Not available.

#### Section 10: STABILITY AND REACTIVITY

### **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

### **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not pierce or burn, even after use.

## **10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reaction known under conditions of normal use.

### **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials. Sources of ignition.

## **10.5 INCOMPATIBLE MATERIALS**

Strong oxidizing agents.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon and other organic compounds.

## **Section 11: TOXICOLOGICAL INFORMATION**

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

**Eye:** May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and swelling of

Page 6 of 11



the conjunctiva.

Skin: May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

Ingestion: May be fatal if swallowed and enters airways. May cause stomach

distress, nausea or vomiting. This product may be aspirated into the lungs

and cause chemical pneumonitis.

**Inhalation:** May cause respiratory tract irritation. May cause drowsiness or dizziness.

### **Acute Toxicity:**

Ingredient	IDLH	LC50	LD50
Naphtha (petroleum),			Oral >5000 mg/kg, rat
hydrotreated light	Not available.	Inhalation 73680 ppm 4h, rat	Dermal >3160 mg/kg, rabbit
Carbon dioxide	40,000 ppm	Not available.	Not available.
		_	Oral 4300 mg/kg, rat
Xylene	900 ppm	Inhalation 5000 ppm 4h, rat	Dermal >1700 mg/kg, rabbit
	11		Oral 3500 mg/kg, rat
Ethylbenzene	800 ppm	Inhalation 17.2 mg/L 4h, rat	Dermal 15354 mg/kg, rabbit
			Oral >5000 mg/kg, rat
			Dermal 8390 mg/kg, rabbit
Toluene	500 ppm	Inhalation 28.1 mg/L 4h, rat	Dermal 12124 mg/kg, rat
		Inhalation 13050-14380 ppm	Oral 930 mg/kg, rat
Benzene	500 ppm	4h, rat	Dermal > 9.4mL/kg, rabbit
			Oral 490 mg/kg, rat
			Dermal >2500 mg/kg, rat
Naphthalene	250 ppm	Inhalation >0.4 mg/L 4h, rat	Dermal >20 g/kg, rabbit

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation) LD50 (oral) LD50 (dermal)		
> 5 mg/L 4h, rat > 2000 mg/kg, rat > 2000 mg/kg, rabbit		

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Naphtha (petroleum), hydrotreated light	Not listed.
Carbon dioxide	Not listed.
Xylene	G-A4, I-3
Ethylbenzene	G-A3, I-2B, CP65
Toluene	G-A4, I-3, CP65
Benzene	O, G-A1, I-1, N-1, CP65
Naphthalene	G-A4, I-2B, N-2, CP65

<sup>\*</sup> See Section 15 for more information.

## 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: May cause skin irritation.

Serious Eye Damage/Irritation: May cause eye irritation.

**Respiratory Sensitization:** Based on available data, the classification criteria are not met.



Skin Sensitization: Based on available data, the classification criteria are not met.

STOT-Single Exposure: Based on available data, the classification criteria are not met.

**Chronic Health Effects:** 

Carcinogenicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity:

**Developmental:** Based on available data, the classification criteria are not met.

**Teratogenicity:** Hazardous by WHMIS criteria. **Embryotoxicity:** Hazardous by WHMIS criteria.

Fertility: Based on available data, the classification criteria are not met.

**STOT-Repeated Exposure:** Based on available data, the classification criteria are not met.

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

**Toxicologically Synergistic** 

Materials:Not available.Other Information:Not available.

### Section 12: ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

### 12.2 PERSISTENCE AND DEGRADABILITY

Not available.

### 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

**12.4 MOBILITY IN SOIL** 

Not available.

### 12.5 OTHER ADVERSE EFFECTS

Floats on water.

### **Section 13: DISPOSAL CONSIDERATIONS**

### **13.1 WASTE TREATMENT METHODS**

**Disposal Method:** This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

**Section 14: TRANSPORT INFORMATION** 

Page 8 of 11



DOT	Consumables, Limited Quantity
IATA	UN 1950, Aerosols, Flammable, 2.1
IMDG	UN 1950, Aerosols, (Limited Quantity)

### **Section 15: REGULATORY INFORMATION**

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Mexico: MSDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Naphtha (petroleum),				
hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Carbon dioxide	Not listed.	Not listed.	Not listed.	Not listed.
Xylene	Not listed.	Not listed.	100	313
Ethylbenzene	Not listed.	Not listed.	1,000	313
Toluene	Not listed.	Not listed.	1,000	313
Benzene	Not listed.	Not listed.	10	313
Naphthalene	Not listed.	Not listed.	100	313

## **State Regulations**

## California Proposition 65:

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

### **Global Inventories:**

Ingredient	Canada	USA TSCA
	DSL/NDSL	ISCA
Naphtha (petroleum), hydrotreated light	DSL	Yes.
Carbon dioxide	DSL	Yes.
Xylene	DSL	Yes.
Ethylbenzene	DSL	Yes.
Toluene	DSL	Yes.
Benzene	DSL	Yes.
Naphthalene	DSL	Yes.

NFPA-National Fire Protection Association:		
Health: 1		

Page 9 of 11



Fire:	4
Reactivity:	0

HMIS-Hazardous Materials Identification System:		
Health: 1*		
Fire: 4		
Physical Hazard: 0		

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

### IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

## NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

### **Section 16: OTHER INFORMATION**

Date of Preparation: November 25, 2013

Expiry Date: November 25, 2016

Version: 1.1

Revision Date: June 9, 2015

Conforms to OSHA HazCom 2012, CPR & NOM-018-STPS-2000 Standards

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: Magnaflux





## **End of Safety Data Sheet**

Page 11 of 11

Conforms to OSA HazCom 2012, CPR & NOM-018-STPS-2000 Standards Trade Name: SKC-S Aerosol